Supreme[®]-i





VALIANI means...

- High quality Italian Engineering
- Precision & Creativity
- Versatility
- Reliability & Profitability
- Superior Customer Support



Includes Future Mat Designer®













Supports Interchangeable Heads



Supreme[®]- is

- The best cutting speed in its class: 530mm/sec (21"/sec).
- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool.
- Attractive Purchase, Lease and Rental options.
- Valiani has produced the widest range of mat cutting machinery since 1973.
- Qualified technicians available for on-site installation and
- Mat Optimization layout feature for efficient cutting of varied mat sizes.
- Text tool for creating names, numbers, etc. over 40 pre-programmed fonts.
- Precision drive belts reinforced with steel filaments.
- Sturdy "Rollon" compact rails for peak reliability with minimal maintenance.
- Remote assistance (internet connection required).
- Highly durable blades cut up to 100 mat openings.



Supreme® -is computerized mat board cutting machine was developed for busy frame shops looking for a more robust mat cutting solution and, therefore, turns out to be the ideal choice for Custom framers or low volume production framers.

Supreme® -is offers speed, performance, and mat cutting capability supported by the highest quality standards, making it extremely robust and durable.

Supreme® -is is available in two sizes and is capable of doing all cutting from the front and the back, cuts single or multiple openings, V-grooves in all designs and pre-assembled double and triple mats without having to remove the mat from the machine.

This feature alone saves hours of work and is a great advantage that no other machine can offer along with the flexibility to accommodate matting materials and design concepts of the future.

TECHNICAL SPECIFICATION

Supreme® -is 150

Working area:

1500mm x 1000mm (60" x 40")

Height 2100mm (83")
Width 1600mm (63")
Depth 1500mm (60")
Weight 160 kg. (350 lbs)

Supreme® -is 120

Working area:

1200mm x 800mm (48" x 32")

Height 1760mm (70") Width 1400mm (55") Depth 1450mm (57") Weight 130 kg. (280 lbs) Max Speed 530mm/sec

21"/sec

Main Supply

110V / 60Hz / 10A +/-10% 220V / 50Hz / 10A +/-10%

Pneumatics 6 Bar / 90 PSI

PERFORMANCE

Mat Size

280mm x 350mm (11" x 14") 400mm x 500mm (16" x 20") 800mm x 1000mm (32" x 40")

Opening

150mm x 230mm (6" x 9") 280mm x 380mm (11" x 15") 685mm x 890mm (32" x 40")

Full Cycle Cut Only 9.86 secs 5.97 secs 11.54 secs 7.18 secs 15.47 secs 11.03 secs

Specifications

Supreme[®]- i

- System Features

 Ideal for growing businesses that require increased production speed and durability

 The best cutting speed in its class: 530mm/sec (21"/sec)

 Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool

 Shares cutting head design and software as the other models

 Cut pre-assembled double and triple mats without removing from machine, a feature exclusive to Valiani equipment

- Unique cut-from-front head design provides unparalled cut detail and perfect opening to V-Groove alignment
 Unique "Dead-End" design & cut capability; create spacers, bevel accent strips, custom V-grooves, decorative Embossing lines...

Program Features

- Attractive Purchase, Lease and Rental options
- Attractive lease-to-own plans starting at \$460/mo with no down payment (only for N.A. Market)
- 2-year warranty on parts and factory labor
- Extended warranty plans and preventive maintenance options available
- Unlimited telephone support for technical enquiries
- Valiani has produced the widest range of mat cutting machinery since 1973
- Sales, Service & Support in over 60 countries worldwide through a wide network of authorized and trained Valiani distributors.
- Qualified technicians available for on-site installation and training.

Future Mat Designer Software Details

- Rotate, Scale, Copy, and Paste any design object or Group
 Easy import of CAD (.DXF), CorelDRAW (.PLT) designs, clip art, or Fonts limitless creative possibilities.

Hardware Specifications

- Improved housing and tool-free locking mechanism for cutting head
- Improved pneumatic control for more precise radial (oval, circle, etc.) cutting
- Heavy-duty honeycomb-aluminum cutting table; lightweight and rigid
- Precision drive belts reinforced with steel filaments
- Depth adjustment dial knob 0-3/16" (0-5mm)
- Handles up to 3/16" (5mm) foam board and coter board with optional 45-bevel or 90-degree cutting heads
- Improved mat clamping capacity: Four 4-ply mats or 3/16" (5mm) foamboard
- High-speed micro stepper motors, for consistent cut quality
- Sturdy "Rollon" compact rails for peak reliability with minimal maintenance
- Integrated steel floor stand included

Additional

- Software facility to import CAD (.DXF) or CorelDraw (.PLT) files, for an unmatched design flexibility
 New mat database option allows machine to automatically recall depth settings for any mat type
 System compatable with Windows XP and VISTA with a standard USB port.
 remote assistance (internet connection required)
 Safety rating: CE certification and UL Listed.
 No per-cut "Corner" fees to limit cutting production or creativity (N.A. Market)
 Optional computer workstation with rotating interchangeable head carrousel



Via delle Regioni 305 50052 Certaldo - Firenze (ITALIA) tel +39 0571 666598 | fax +39 0571 663454 info@valiani.com | www.valiani.com

Valiani North America, LLC

5745 S.W. 75th St, #324 Gainesville - Florida 32608 (USA) tel toll free (888) VALIANI | fax (888) 825-4264 mailbox@valiani.com www.valiani.com